

ALTUS

ALTUS full-height cubicles

Available in:

MFC - Laminated chipboard
HPL - High Pressure Laminate

SP - Sandwich panels

Complementary products

page 6 →


Description:

Full-height toilet cabins are becoming increasingly popular because they not only guarantee privacy but also allow for better coherence between sanitary interiors and the overall appearance of the building. This makes this type of WC cubicles increasingly applicable in newly constructed facilities.

The design of full-height cabins is executed considering the space and character of the rooms. However, proper preparation and finishing of the rooms before in-

stallation are important, as this system is entirely prepared at the ALSANIT factory and maintains small dimensional tolerances. Any deviations from the specified dimensions may hinder installation.

Due to its proven construction and high-quality materials, the ALTUS system performs excellently in restrooms with high traffic volume.





very high durability



tailor made to individual dimensions





Full-height cabins



CE certificate valid throughout the European Union



Fittings with a brushed steel finish





Fittings developed by ALSANIT are manufactured in Poland at the company headquarters



Production on CNC machines ensures precision and short lead times

Standard dimensions







Standard equipment



available colors


page 14

ALTUS construction details

Construction details:


Hinges

- tested durability: 200,000 open/close cycles
- typically for ALSANIT, mounted to narrow edges of panels
- made of brushed steel with a polyamide insert
- gravity self-closing
- minimalist appearance
- optionally hinges for internal doors not visible from the outside




Knob-locks

- elegant, ergonomic and highly durable
- emergency opening capability
- universal for left/right doors
- bolt rotation angle of 360°
- "click" every 90°
- easy to use, including for individuals with disabilities
- white-red occupancy indicator



Support-legs (Optionally)

- made of brushed steel
- ensure easy leveling of partitions
- for 10-18 mm boards mounted to the side of the board, for 28 mm and thicker boards screwed into the core
- adjustment range +/- 20 mm
- rosette mounted on two dowels, covered with a plate





Types of panels available for the system:

MFC

Laminated chipboard

18 mm

28 mm

MFC is compressed under high temperature and pressure using binding agents with wood chips. The top layer is a decorative melamine coating.

- edges are finished with durable edging using HOT-AIR technology (glueless)
- suitable for rooms with normal humidity

Fire classification: Ds1d0





A solution for door frame for MFC boards



Rear-mounted



Wall and partition mounting



Optionally Support leg mounted frontally for 18 mm boards



Optionally Support leg screwed into the core for 28 mm boards

HPL

High pressure laminate

10 mm

12 mm

HPL (High Pressure Laminate) - cellulose fibers saturated with resin and compressed under high pressure. The material is 100% waterproof and its properties are consistent throughout the entire board cross-section.

- milled edges-black core of the board is visible
- for rooms with high humidity

Fire classification:

Cs2d0 - 10 mm, Bs1d0 - 12 mm (option)



A solution for door frame for HPL boards



Rear-mounted beam



Wall and partition mounting



Optionally Support leg mounted frontally

SP

Sandwich panels

36 mm

Panels with a total thickness of 36 mm - feature an aluminum frame filled with foamed polystyrene, 28 mm thick, with outer layers consisting of 4 mm HPL.

- · excellent rigidity and aesthetics
- ideal for full-height installations
- provide the best soundproofing

Fire classification: Es1d0



A solution for door frame for SP hoards



Rear-mounted beam




Concealed mounting for walls and partitions



Possibility of using a handle




Optionally Support leg screwed into the core



By using an aluminum rosette, we achieved an effect of exceptional lightness.


ALSANIT urinal partitions are installed using rosettes, eliminating the need for support legs.

available colors page 14 →




Urinal partitions

- Powder-coated rosette in a color close to RAL 7035
- Easy installation
- Minimalist appearance










Sink countertops are an important element of restroom furnishings.

Due to the direct exposure to water, they need to be made of durable materials and properly installed.


available colors


page 14



Vanity tops

- preparation for sink installation
- all visible edges routed
- need for panel joining for countertops longer than 2600 mm
- optionally additional mirror frames matching countertops






HPL

10 mm





Shower cubicles produced by ALSANIT are aesthetic, practical, and durable.

Thanks to the use of durable, and fully waterproof materials, ALSANIT shower cubicles are an investment for many years. Showers are typically made basing on the SOLARI system fittings.




"I" partitions

- easy and fast installation
- curtain included

HPL

10 mm

12 mm





← back


Showers "T" i "F"

- additional space for storing clothes
- curtain included

HPL

10 mm

12 mm






Showers with doors

- doors reinforced with ribs approximately 80 mm wide
- round profile for clothes or towel between the ribs

HPL

10 mm

12 mm







Fast mounted and aesthetically pleasing wall claddings designed for large surfaces.

TECHNOWALL is a fully proprietary system of wall claddings with quick access to installations located behind them.

available colors







TECHNOWALL wall claddings

HPL







Installation:



1. Level and mount the bottom profile to the floor.



2. Place the steel frames for cladding on the profile, align, and attach them to the masonry wall.



3. Connect the frames with "shadow" panels. Mount masking panels at the bottom and top.



 Fit the cladding panels up to the height of the utilities and fixtures. For the cladding where fixtures will be installed, cut openings for the connections/fixtures.





5. Secure and connect the fixtures to the cladding.



6. Install the remaining cladding.

COLORS stock collection









CUBICLES

(CONTRACT FURNITURE)



the color range is also available in the HIGH GLOSS version





* sample colors



ALTUS, full-height sanitary partitions that improve user comfort and the aesthetics of the room.

Optimally utilize available space, organizing it and improving its usability.



Alsanit Sp. z o.o. ul. Wieleńska 2, 64-980 Trzcianka, POLSKA

+48 67 253 23 60 export@alsanit.eu www.alsanit.eu